

Revision number: 3 Purchasing Agent: BRENDA VELDEVERE (801) 538-3142 or bveldevere@utah.gov

ITEM: RICOH, SAVIN AND GESTETNER DIGITAL COPIERS EQUIPMENT – STATWIDE

COVERAGE - ALL SEGMENTS

VENDOR: (PAY UTAH DEALERS DIRECT) RICOH CORPORATION

FIVE DEDRICK PLACE WEST CALDWELL NJ 07006

INTERNET ADDRESS: www.ricoh-usa.com

TELEPHONE: (973) 882.5215 FAX NUMBER: (973) 808.7589

CONTACT: MICHELE WASHINGTON

EMAIL: <u>michele.baldwin-washington@ricoh-usa.com</u>

FOR SALES AND SERVICE, PLEASE CONTACT UTAH DEALERS DIRECT.

BRAND/TRADE NAME: RICOH, SAVIN, GESTETNER

PRICE: SEE ATTACHED PRICE LIST

PRICE GUARANTEE PERIOD: 1 YEAR THROUGH 04/20/2004

TERMS: NET 30

EFFECTIVE DATES: 04/21/2003 THROUGH 04/20/2005

DAYS REQUIRED FOR DELIVERY: CONTACT DEALERS

MINIMUM ORDER: ONE UNIT

OTHER CONDITIONS: CONTRACT PERIOD IS FOR TWO YEARS, WITH THREE ONE-YEAR OPTIONS TO RENEW

AFTER 04/20/2005. (POTENTIAL MAXIMUM CONTRACT END DATE 04/2008.)

ORIGINATING SOLICITATION: BV3905 OPENDED 03/04/2003 AT 2:00 P.M.

REVISION #4: MODELS HAVE BEEN UPDATED JANUARY 2005.

TO USE THIS CONTRACT, PRE-AUTHORIZATION IS REQUIRED.

All State Agencies are required to compare a minimum of three digital copier contractors for the appropriate segment and then make their purchasing determination based on a best value analysis taking in consideration their individual needs including, but not limited to, price, customer service, maintenance, delivery, etc. State Agencies must then complete the 63A-2-105 Copier Request Form and submit to Brian Jenson (with comparison documentation) for approval prior to ordering any copier from the contractor. Please fax your copier request form to Brian Jensen at (801) 801.965.6035. A copy of the copier request form is located at the end of this contract information sheet.







Volume Band 1A - 15 cpm digital copier

Ricoh Aficio 1515 Savin 3515 Gestetner DSM415





Specifications

• Digital, Multifunctional Copier

• 15 copies per minute

• Maximum monthly volume 5,000

• Std paper source - single drawer

• Std Paper capacity: 250 sheets

• Max Paper capacity: 850 sheets

• ADF: 53 cpm up to 30 originals

Max. Original size: 8-1/2 x 14

Reduce/Enlarge: 50-200% (1% increments)

• First copy time: Less than 7.5 sec.

• Warm up time: 15 sec.

• Copy resolution: 600 x 600 dpi

• Std./Max Memory: 16 MB

• Optional network printing and scanning

functionality

Pricing

15 cpm copier	\$1,241
Includes DF74 ADF	
Service and Supply Cost (per Copy)	\$0.0093

Optional Accessories:

PS480 Paper Bank (500x1)	204
FAC19 Cabinet	132
Printer Options:	
Printer/Scanner Unit	338
IEEE1284	59
IEEE802.11b Wireless LAN	338
IEEE1394 Interface Board	285
BlueTooth Unit Type 2238	309
PS2 Level 3	292
Fax Option:	
Handset 1018	38







Copier Features

- Warm up time 15 seconds, first copy speed 7.5 seconds
- Auto reduce / enlarge with 5 preset modes
- Standard 16 MB system memory upgradeable to 192 MB
- Electronic sorting eliminates the need to manually collate copies
- 15 ppm Output Speed
- Automatic Duplex Copying (1:2)

General Features

- Easy to use, intuitive control panel
- Scan once, print many
- Standard 350 sheet paper capacity / maximum 850 sheet paper capacity with optional paper banks.
- Standard configuration easily fits on a desktop
- Energy Save Mode
- Handles paper sizes up to 8.5" x 14"
- Standard Automatic Document Feeder
- Dual component consumable design lowers cost per page and simplifies maintenance
- Standard 16 MB system memory upgradeable to 192 MB

Printer Features (optional)

- Network printing at 15 ppm
- Exceptional 600 x 600 DPI printing at 15 pages per minute
- Easy to use, icon based print driver interface
- Includes complimentary suite of network printer management utilities
- Standard interfaces include USB 2 and 10/100baseT Ethernet
- Optional interfaces include Wireless LAN, Bluetooth, IEEE1394 and Parallel
- Supports RPCS, PCL5e / 6 and optional Adobe PostScript 3
- Duplex Printing

Scanner Features (optional)

- Versatile black and white network scanning up to 22 ipm
- Embedded scan to email
- Network TWAIN scanning
- Standard ScanRouter V2 Lite software
- Supports TIFF, Multi-Page and PDF files







Volume Band 1B - 15 cpm digital copier

Savin 4015 Ricoh Aficio 2015 **Gestetner GDSM615**





Specifications

Digital, Multifunctional Copier

15 copies per minute

Maximum monthly volume 12,500

Std paper source - single drawer

Std Paper capacity: 250 sheets

Max Paper capacity: 1,350 sheets

ADF: 15 cpm up to 30 originals

Max. Original size: 11 x 17

• Reduce/Enlarge: 50-200% (1% increments)

• First copy time: 6.5 sec.

Warm up time: 15 sec.

Copy resolution: 600 x 600 dpi

Std./Max Memory: 16 MB/48 MB

Optional network print functionality

Pricing

15 cpm copier	\$1,254
Includes Platen Cover	
Service and Supply Cost (per Copy)	\$0.0093

Optional Accessories: DF78 ADF 409 PS460 (500x1) Paper Bank 233 Medium FAC15 (use w/PS460) 110 PS450 (500x2) Paper Bank 605 Small FAC17 (use w/PS450) 105 Large Cabinet (use w/no Paper Bank) 96 Printer Options: Scanner/Printer Kit 445 All In One Kit (Scanner/Printer/Fax) 626 PostScript Level 3 292 **IEEE1284** 59 Wireless LAN 338 IEEE1395 Interface Board 285 BlueTooth Unit 309 Fax Options: Fax Kit 391 Handset 1018 38 1 Bin Tray PT340 149







Offers powerful standard digital copying at 15 cpm with optional network printing, scanning and complete fax functions including LAN and Internet faxing options.

General Features

- Two standard interfaces—10/100BaseT Ethernet for a quick connection to your network, and USB 2.0
- Ricoh's RPCSTM (Refined Print Command Stream)
- Web SmartDeviceManager, Web Image Monitor and SmartDeviceManager
- Embedded Scan to E-mail
- Network TWAIN Scanning
- LAN-Fax Send faxes directly from the desktop
- Internet Fax Fax for free over the Internet (T.37)
- Super G3 Fax Modem combines with standard JBIG Compression







Volume Band 1C - 18 cpm digital copier

Savin 4018 Ricoh Aficio 2018 **Gestetner GDSM618**





Specifications

- Digital, Multifunctional Copier
- 18 copies per minute
- Maximum monthly volume 15,000
- Std paper source dual drawer
- Std Paper capacity: 250/250 sheets
- Max Paper capacity: 1,600 sheets
- ADF: 18 cpm up to 50 originals
- Max. Original size: 11 x 17

- Reduce/Enlarge: 50-200% (1% increments)
- First copy time: 6.5 sec.
- Warm up time: 15 sec.

409

- Copy resolution: 600 x 600 dpi
- Std./Max Memory: 16 MB/48 MB
- Optional network print functionality

Pricing

\$1,569 18 cpm copier **Includes Platen Cover and Large Cabinet Service and Supply Cost (per Copy)** \$0.0093

Optional Accessories:

DF78 ADF

DI 70 ADI	1 07
PS460 (500x1) Paper Bank	233
Medium FAC15 (use w/PS460)	110
PS450 (500x2) Paper Bank	605
Small FAC17 (use w/PS450)	105
Printer Options:	
Scanner/Printer Kit	445
All In One Kit (Scanner/Printer/Fax)	626
PostScript Level 3	292
IEEE1284	59
Wireless LAN	338
IEEE1395 Interface Board	285
BlueTooth Unit	309
Fax Options:	
Fax Kit	391
Handset 1018	38
1 Bin Tray PT340	149







Offers 18 PPM and larger paper capacity - perfect for environments with slightly higher output requirements.

General Features

- Full Dual Access allows you to perform multiple tasks
- Ricoh's RPCSTM (Refined Print Command Stream)
- Web SmartDeviceManager, Web Image Monitor and SmartDeviceManager
- Embedded Scan to E-mail
- Network TWAIN Scanning
- LAN-Fax Send faxes directly from the desktop
- Internet Fax Fax for free over the Internet (T.37)
- Super G3 Fax Modem combines with standard JBIG Compression
- Full Dual Access allows you to perform multiple tasks





Volume Band 2A - 22 cpm digital copier

Savin 4022 Ricoh Aficio 2022 Gestetner GDSM622





Specifications

- Digital, Multifunctional Copier
- 22 copies per minute
- Maximum monthly volume 35,000
- Std paper source dual drawer
- Std Paper capacity: 500/500 sheets & 100 sheet Bypass tray
- Max Paper capacity: 3,100 sheets
- ADF: 22 cpm up to 50 originals

USB 2.0 I/F Board A

Auto Duplex

- Finisher: Optional / 500 sheet capacity
- Max. Original size: 11 x 17
- Reduce/Enlarge: 25-400% (1% increments)
- First copy time: 4.9 sec.
- Warm up time: 15 sec.

59

- Copy resolution: 600 x 600 dpi
- Std./Max Memory: 64 MB/192 MB,
- Optional network print functionality

Pricing

\$3,425 22 cpm copier Includes DF75 ARDF, Bypass Tray, **Auto Duplex, Cabinet Service and Supply Cost (per Copy)** \$0.0085

Optional Accessories:

PS490 Paper Tray Unit	744
SR820 500 Sheet Finisher	615
Bridge Unit 1027	133
Hard Disk Drive Type 2027	232
PS500 LCT	863
SR790 1,000 Sheet Finisher	730
Internal Shift Sort Tray 1027	185
Key Counter Bracket 1027	67
User Account Enhance Kit 1045	109
Platen Cover 1018	45
Printer/Scanner Options:	
Type 2027 Print/Scan Kit	872
Type 2027 PostScript3	369
File Format Converter Type A	237
BlueTooth Unit Type 2045	268
IEEE802.1 1b I/F Kit	309
1394 I/F Unit 4510	280







32MB Memory	110
Fax Options:	
Fax Option 2027	675
PT280 1Bin Tray	185
G3 I/F 2027	398
JBIG/Function Upgrade Card 185	245
Handset 1018	38







General Features

- Automatic duplex imaging that does not affect imaging performance.
- Three different document finishing options to choose from.
- Large touch sensitive LCD operator panel with an intuitive graphical user interface.

Copying Features

- Scan Once Print Many to maximize the output performance.
- Copy features like cover insertion, page designation, and stamping to reduce manual interaction and increase productivity.
- Optional 50-Sheet ARDF for automatic feeding of documents (one- and two-sided) at engine speed.
- 600 dpi resolution with up to 256 levels of gray.
- Electronic/Rotate sorting produces complete document sets and eliminates manual collation.

Printing Features

- Exceptional 600 dpi printing at 22 pages per minute.
- Standard Ethernet and parallel ports with high-speed serial and wireless networking options.
- Standard PCL 5e/6 emulation and Ricoh RPCS print drivers with optional genuine Adobe PostScript
- Complete access to duplexing and any attached document finishing options.

Scanner Features

- Embedded Scan to E-mail, Network Scan to Folder, Scan to FTP Server makes document distribution easy and economical, as there is no delivery server required.
- LDAP with SMTP Authentication.
- Network TWAIN scanning is also available as an alternative scanning solution for networked users.
- Documents are scanned to the most popular file formats, including PDF, TIFF, or JPEG.

Fax Features (Optional)

- Up to two G3 fax lines can be configured to support simultaneous fax transmission and reception in high volume environments.
- LAN-faxing for electronic routing of incoming faxes as well as sending faxes from the desktop without generating a hardcopy original.
- Internet Faxing (T.37) feature allows combination of phone numbers and email addresses to be send out in the same broadcast.
- Incorporates all of the same capabilities and convenience features as dedicated fax systems.
- Optional JBIG kit compresses files sizes to a minimum before transmitting to reduce transmission costs.





Ricoh Family Group (RFG) – State of Utah Copier Equipment

Contract # AR1647

Volume Band 2B - 27 cpm digital copier

Savin 4027 Ricoh Aficio 2027 **Gestetner GDSM627**





Specifications

- Digital, Multifunctional Copier
- 27 copies per minute
- Maximum monthly volume 45,000
- Std paper source dual drawer
- Std Paper capacity: 500/500 sheets & 100 sheet Bypass Tray
- Max Paper capacity: 3,100 sheets
- ADF: 27 cpm up to 50 originals

USB 2.0 I/F Board A

Auto Duplex

• Finisher: Optional / 500 sheet capacity

Max. Original size: 11 x 17

• Reduce/Enlarge: 25-400% (1%

increments)

• First copy time: 4.9 sec.

• Warm up time: 15 sec.

59

• Copy resolution: 600 x 600 dpi

Std./Max Memory: 64 MB/192 MB,

Optional network print functionality

Pricing

27 cpm copier \$4.131 Includes DF75 ARDF, Bypass Tray, **Auto Duplex, Cabinet Service and Supply Cost (per Copy)** \$0.0085

Optional Accessories:

PS490 Paper Tray Unit	744
SR820 500 Sheet Finisher	615
Bridge Unit 1027	133
Hard Disk Drive Type 2027	232
PS500 LCT	863
SR790 1,000 Sheet Finisher	730
Internal Shift Sort Tray 1027	185
Key Counter Bracket 1027	67
User Account Enhance Kit 1045	109
Platen Cover 1018	45
Printer/Scanner Options:	
Type 2027 Print/Scan Kit	872
Type 2027 PostScript3	369
File Format Converter Type A	237
BlueTooth Unit Type 2045	268
IEEE802.1 1b I/F Kit	309
1394 I/F Unit 4510	280







32MB Memory	110
Fax Options:	
Fax Option 2027	675
PT280 1Bin Tray	185
G3 I/F 2027	398
JBIG/Function Upgrade Card 185	245
Handset 1018	38







General Features

- Automatic duplex imaging that does not affect imaging performance.
- Three different document finishing options to choose from.
- Large touch sensitive LCD operator panel with an intuitive graphical user interface.

Copying Features

- Scan Once Print Many to maximize the output performance.
- Copy features like cover insertion, page designation, and stamping to reduce manual interaction and increase productivity.
- Optional 50-Sheet ARDF for automatic feeding of documents (one- and two-sided) at engine speed.
- 600 dpi resolution with up to 256 levels of gray.
- Electronic/Rotate sorting produces complete document sets and eliminates manual collation.

Printing Features

- Exceptional 600 dpi printing at 27 pages per minute.
- Standard Ethernet and parallel ports with high-speed serial and wireless networking options.
- Standard PCL 5e/6 emulation and Ricoh RPCS print drivers with optional genuine Adobe PostScript
- Complete access to duplexing and any attached document finishing options.

Scanner Features

- Embedded Scan to E-mail, Network Scan to Folder, Scan to FTP Server makes document distribution easy and economical, as there is no delivery server required.
- LDAP with SMTP Authentication.
- Network TWAIN scanning is also available as an alternative scanning solution for networked users.
- Documents are scanned to the most popular file formats, including PDF, TIFF, or JPEG.

Fax Features (Optional)

- Up to two G3 fax lines can be configured to support simultaneous fax transmission and reception in high volume environments.
- LAN-faxing for electronic routing of incoming faxes as well as sending faxes from the desktop without generating a hardcopy original.
- Internet Faxing (T.37) feature allows combination of phone numbers and email addresses to be send out in the same broadcast.
- Incorporates all of the same capabilities and convenience features as dedicated fax systems.
- Optional JBIG kit compresses files sizes to a minimum before transmitting to reduce transmission costs.







Volume Bands 2C, 3A, 3B – 35 cpm digital copier

Savin 4035e Ricoh Aficio 2035e **Gestetner GDSM635**





Specifications

- Digital, Multifunctional Copier
- 35 copies per minute
- Maximum monthly volume 80,000
- Std paper source dual drawer
- Std Paper capacity: 500/500 sheets
- Max Paper capacity: 3,550 sheets
- ADF: 35 cpm up to 80 originals
- Auto Duplex
- Finisher: 1,000 sheet capacity

- Max. Original size: 11 x 17
- Reduce/Enlarge: 25-400% (1%
 - increments)
- First copy time: 4.5 sec.
- Warm up time: 15 sec.
- Copy resolution: 600 x 600 dpi
- System Memory (Std./Max) 64/320
 - MB RAM
- Hard Disk Drive: 20GB
- Optional network print functionality

Pricing

Volume Band 2C: 35 cpm copier \$4,478

Includes ARDF

Service and Supply Cost (per Copy) \$0.0076

Volume Band 3A, 3B: 35 cpm copier \$5,398 Includes ARDF, SR790 Finisher, Cabinet **Service and Supply Cost (per Copy)** \$0.0076

Optional Accessories:

PS530 Paper Tray Unit	782
RT45 Large Capacity Tray	857
SR880 Multi-Tray Finisher	1681
SR890 Booklet Finisher	2802
Bridge Unit Type 2045**	91
2/3-Hole Punch Kit 1045	481
FAC25 Cabinet	99

Printer/Scanner Options:

Scan/Print Kit Bundle	1,526
PostScript Unit Type 2045	724
IEEE802.1 1b I/F Kit	309
BlueTooth Unit Type 2045**	268







1394 I/F Unit 1045	280
USB 2.0 I/F Board A	59
256MB DIMM	492
Fax Options:	
Fax Option Type 2045e	645
G3 Interface Kit Type 2045	416
JBIG/Function Upgrade Card 185	245
Handset & Bracket 450	44
Special Options:	
PT330 1-Bin Tray	277
User Account Enhance Kit 1045	109
Key Counter Bracket H	44







General Features

- 64 MB RAM and 20 GB Hard Disk Drive to provide more efficient copying and enable Scan Once Print Many, Preset Stamp, Background numbering, and Sample Copy.
- New Polyester Polymerization toner technology for increased image quality and reduced energy consumption for system warm-up and fusing temperature.
- Automatic duplex imaging that does not affect imaging performance.
- Three different document finishing options to choose from, including a booklet finisher.
- Large touch sensitive LCD operator panel with an intuitive graphical user interface.

Copier Features

- Scan Once Print Many to maximize the output performance.
- Copy features like cover insertion, page designation, and stamping to reduce manual interaction and increase productivity.
- Standard ARDF for automatic feeding of documents (one- and two-sided)at engine speed.
- 600 dpi resolution with up to 256 levels of gray.
- Electronic sorting produces complete document sets and eliminates manual collation.

Printer Features

- Exceptional 600 dpi printing at 35 pages per minute.
- Standard Ethernet and parallel ports with high-speed serial and wireless networking options.
- Standard PCL 5e/6 emulation and Ricoh RPCS print drivers with optional genuine Adobe PostScript 3.
- Complete access to duplexing and any attached document finishing options.

Scanner Features (optional)

- Embedded Scan to E-mail makes document distribution easy and economical, as there is no delivery server required.
- Network TWAIN scanning is also available as an alternative scanning solution for networked users.
- Documents are scanned to the most popular file formats, including PDF, TIFF, or JPEG.
- LDAP Address Book Search
- SMTP and POP before SMTP Authentication
- Scan-to-Folder and FTP site
- Add subject, message and sender's name to documents scanned to email.
- Change file name from the default

Fax Features (Optional)

- Up to three G3 fax lines can be configured to support simultaneous fax transmission and reception in high volume environments.
- LAN-faxing for electronic routing of incoming faxes as well as sending faxes from the desktop without generating a hardcopy original.
- Incorporates all of the same capabilities and convenience features as dedicated fax systems.
- Optional JBIG kit compresses files sizes to a minimum before transmitting to reduce transmission costs.
- Internet Fax (T.37)
- Fax forwarding to MFP's Hard Drive
- Fax forwarding to email
- Transmission reports delivered via email







Volume Bands 3C, 4A – 45 cpm digital copier

Savin 4045e Ricoh Aficio 2045e **Gestetner GDSM645**





Specifications

- Digital, Multifunctional Copier
- 45 copies per minute
- Maximum monthly volume 100,000
- Std paper source dual drawer
- Std Paper capacity: 500/500 sheets
- Max Paper capacity: 3,550 sheets
- ADF: 45 cpm up to 80 originals
- Auto Duplex
- Finisher: 1,000 sheet capacity

• Max. Original size: 11 x 17

• Reduce/Enlarge: 25-400% (1%

increments)

• First copy time: 3.6 sec.

• Warm up time: 20 sec.

• Copy resolution: 600 x 600 dpi

• System Memory (Std./Max) 64/320

MB RAM

• Hard Disk Drive: 20GB

• Optional network print functionality

Pricing

Volume Band 3C: 45 cpm copier \$6,641 Includes ARDF, SR790 Finisher, Cabinet **Service and Supply Cost (per Copy)** \$0.0069

Volume Band 4A: 45 cpm copier \$7,324 Includes ARDF, SR790 Finisher, PS530 Paper Tray **Service and Supply Cost (per Copy)** \$0.0069

Optional Accessories:

PS530 Paper Tray Unit	782
RT45 Large Capacity Tray	857
SR880 Multi-Tray Finisher	1681
SR890 Booklet Finisher	2802
Bridge Unit Type 2045**	91
2/3-Hole Punch Kit 1045	481
FAC25 Cabinet	99

Printer/Scanner Options:

Scan/Print Kit Bundle	1,526
PostScript Unit Type 2045	724
IEEE802.1 1b I/F Kit	309
BlueTooth Unit Type 2045**	268
1394 I/F Unit 1045	280







USB 2.0 I/F Board A	59
256MB DIMM	492
Fax Options:	
Fax Option Type 2045e	645
G3 Interface Kit Type 2045	416
JBIG/Function Upgrade Card 185	245
Handset & Bracket 450	44
Special Options:	
PT330 1-Bin Tray	277
User Account Enhance Kit 1045	109
Key Counter Bracket H	44







General Features

- 64 MB RAM and 20 GB Hard Disk Drive to provide more efficient copying and enable Scan Once Print Many, Preset Stamp, Background numbering, and Sample Copy.
- New Polyester Polymerization toner technology for increased image quality and reduced energy consumption for system warm-up and fusing temperature.
- Automatic duplex imaging that does not affect imaging performance.
- Three different document finishing options to choose from, including a booklet finisher.
- Large touch sensitive LCD operator panel with an intuitive graphical user interface.

Copier Features

- Scan Once Print Many to maximize the output performance.
- Copy features like cover insertion, page designation, and stamping to reduce manual interaction and increase productivity.
- Standard ARDF for automatic feeding of documents (one- and two-sided)at engine speed.
- 600 dpi resolution with up to 256 levels of gray.
- Electronic sorting produces complete document sets and eliminates manual collation.

Printer Features

- Exceptional 600 dpi printing at 35 pages per minute.
- Standard Ethernet and parallel ports with high-speed serial and wireless networking options.
- Standard PCL 5e/6 emulation and Ricoh RPCS print drivers with optional genuine Adobe PostScript 3.
- Complete access to duplexing and any attached document finishing options.

Scanner Features (optional)

- Embedded Scan to E-mail makes document distribution easy and economical, as there is no delivery server required.
- Network TWAIN scanning is also available as an alternative scanning solution for networked users.
- Documents are scanned to the most popular file formats, including PDF, TIFF, or JPEG.
- LDAP Address Book Search
- SMTP and POP before SMTP Authentication
- Scan-to-Folder and FTP site
- Add subject, message and sender's name to documents scanned to email.
- Change file name from the default

Fax Features (Optional)

- Up to three G3 fax lines can be configured to support simultaneous fax transmission and reception in high volume environments.
- LAN-faxing for electronic routing of incoming faxes as well as sending faxes from the desktop without generating a hardcopy original.
- Incorporates all of the same capabilities and convenience features as dedicated fax systems.
- Optional JBIG kit compresses files sizes to a minimum before transmitting to reduce transmission costs.
- Internet Fax (T.37)
- Fax forwarding to MFP's Hard Drive
- Fax forwarding to email
- Transmission reports delivered via email







Volume Band 4B - 51 cpm digital copier

Savin 4051 Ricoh Aficio 2051 Gestetner GDSM651





Specifications

- Digital, Multifunctional Copier
- 51 copies per minute
- Maximum monthly volume 175,000
- Std paper source triple drawer (incl. Tandem drawer)
- Std Paper capacity: 1,550/1,550/500/500 sheets
- Max Paper capacity: 8,000 sheets
- ADF: 51 cpm up to 100 originals
- Auto Duplex

Pricing

51 cpm copier **Includes SR850 Finisher Service and Supply Cost (per Copy)**

Finisher: 3,000 sheet capacity Max. Original size: 11 x 17 • Reduce/Enlarge: 25-400% (1% increments)

• First copy time: 4.2 sec. • Warm up time: 30 sec.

• Copy resolution: 600 x 600 dpi

• Std./Max Memory: 128MB

• Optional network print and scan functionality

\$9,143

\$0.0069

Optional Accessories:

RT43 LCT	1,172
Copy Tray 1075	85
SR861 Saddle Stitch Finisher	3,011
SR841 Finisher	2,488
2/3 Hole Punch Kit Type 1045	481
2/3 Hole Punch Kit Type 1075	525
Cover Interposer	631
8½" x 14" Tray Type 1075	481
Type 1027 Key Counter Bracket	67
Tab Sheet Holder Type 1075	27
A3/11" x 17" Tray Unit	858
Card Reader Bracket	70
Jogger Unit for SR841	211
Copy Connector Type 2105	895
Z-Folding Unit Type 2105	5,004

Printer Options:

1,897
492
1,278
1,188
285
99
384







Copier Features

- 51 PPM copy speed
- Most main features accessible from initial screen on Touch Panel Display
- Ability to program up to 8 jobs into memory while initial job is running
- Professional finishing capabilities

General Features

- Large, user-friendly Touch Panel Display
- 30-second warm-up time from power off
- Scan Once, Print Many with True 1,200 DPI resolution
- 8,300 sheet maximum paper capacity from up to 5 sources
- 100-sheet, One Pass Duplexing Automatic Document Feeder
- Document Server technology for online storage and print-on-demand capability
- Optional Interposer allows covers or special pages to be inserted anywhere within your documents
- Windows Authentication prevents unauthorized access to system
- Professional finishing capabilities including cover stock, tab extension copying, chapters, collating, numbering, stamping, multiple position stapling, saddle-stitching, Z-Fold, and hole punching
- Compatible with Ricoh's Embedded Software Architecture, a Java (J2ME) compatible software development platform. For more information on this platform, please go to www.ricoh.com/esa

Printer Features (optional)

- 51 PPM print speed
- True 1,200 dpi resolution
- RPCS/PCL5e/PCL6 standard fully compatible with all major PC applications
- Works with Windows 9x/ME/2000/NT4.0/XP & Macintosh
- Optional Adobe® PostScript 3 for advanced applications, Mac OS, and PDF Direct Print
- Optional Interposer allows covers or special pages to be inserted anywhere within your documents
- 9-bin Addressable Mailbox option
- Professional finishing capabilities

Scanner Features (optional)

- 75 sides per minute scan speed (scan to e-mail, scan to folder)
- One Pass Duplex Scanner scans both sides of document simultaneously
- 600 DPI optical resolution (1,200 DPI with TWAIN scanning)
- Embedded Scan to Email with LDAP support (no additional software or delivery server needed)
- Embedded Scan to Folder via SMB and FTP (no additional software or delivery server needed)







Volume Band 4C - 60 cpm digital copier

Savin 4060 Ricoh Aficio 2060 **Gestetner GDSM660**





Specifications

- Digital, Multifunctional Copier
- 60 copies per minute
- Maximum monthly volume 250,000
- Std paper source triple drawer (incl. Tandem drawer)
- Std Paper capacity: 1,550/1,550/500/500 sheets
- Max Paper capacity: 8,300 sheets
- ADF: 60 cpm up to 100 originals
- Auto Duplex

•	Finisher:	3,000 sheet	capacity
---	-----------	-------------	----------

- Max. Original size: 12 x 18
- Reduce/Enlarge: 25-400% (1% increments)
- First copy time: 4.2sec.
- Warm up time: 30 sec.
- Copy resolution: 1200 x 1200 dpi
- Std./Max Memory: 128 MB, 40GB
 - HD/128 MB, 40GB HD
- Optional network print and scan functionality

Pricing

60 cpm copier

Includes SR850 Finisher

Service and Supply Cost (per Copy)

\$10,936

\$0.0069

0	ptional	Accessories:

RT43 LCT	1,172
Copy Tray 1075	85
SR861 Saddle Stitch Finisher	3,011
SR841 Finisher	2,488
2/3 Hole Punch Kit Type 1045	481
2/3 Hole Punch Kit Type 1075	525
Cover Interposer	631
8½" x 14" Tray Type 1075	481
Type 1027 Key Counter Bracket	67
Tab Sheet Holder Type 1075	27
A3/11" x 17" Tray Unit	858
Card Reader Bracket	70
Jogger Unit for SR841	211
Copy Connector Type 2105	895
Z-Folding Unit Type 2105	5,004

Printer Options:

opilolis.	
Scanner/Printer Kit Type 2075	1,897
256 MB Memory Type D	492
Postscript Type 3	1,278
9 Bin Mailbox Type CS.90	1,188
IEEE1394 Interface Board	285
USB 2.0 Interface Board	99
File Format Converter	384







Copier Features

- 60 PPM copy speed
- Most main features accessible from initial screen on Touch Panel Display
- Ability to program up to 8 jobs into memory while initial job is running
- Professional finishing capabilities

General Features

- Large, user-friendly Touch Panel Display
- Scan Once, Print Many with True 1,200 DPI resolution
- 8,300 sheet maximum paper capacity from up to 5 sources
- 100-sheet, One Pass Duplexing Automatic Document Feeder
- Document Server technology for online storage and print-on-demand capability
- Optional Interposer allows covers or special pages to be inserted anywhere within your documents
- Windows Authentication prevents unauthorized access to system
- Professional finishing capabilities including cover stock, tab extension copying, chapters, collating, numbering, stamping, multiple position stapling, saddle-stitching, Z-Fold, and hole punching
- Compatible with Ricoh's Embedded Software Architecture, a Java (J2ME) compatible software development platform. For more information on this platform, please go to www.ricoh.com/esa

Printer Features (optional)

- 60 PPM print speed
- True 1,200 dpi resolution
- RPCS/PCL5e/PCL6 standard fully compatible with all major PC applications
- Works with Windows 9x/ME/2000/NT4.0/XP & Macintosh
- Optional Adobe® PostScript 3 for advanced applications, Mac OS, and PDF Direct Print
- Optional Interposer allows covers or special pages to be inserted anywhere within your documents
- 9-bin Addressable Mailbox option
- Professional finishing capabilities

Scanner Features (optional)

- 75 sides per minute scan speed (scan to e-mail, scan to folder)
- One Pass Duplex Scanner scans both sides of document simultaneously
- 600 DPI optical resolution (1,200 DPI with TWAIN scanning)
- Embedded Scan to Email with LDAP support (no additional software or delivery server needed)
- Embedded Scan to Folder via SMB and FTP (no additional software or delivery server needed)







Volume Band 5A - 75 cpm digital copier

Savin 4075 Ricoh Aficio 2075 **Gestetner GDSM675**





Specifications

- Digital, Multifunctional Copier
- 75 copies per minute
- Maximum monthly volume 300,000
- Std paper source triple drawer (incl. Tandem drawer)
- Std Paper capacity: 1,550/1,550/500/500 sheets
- Max Paper capacity: 8,300 sheets
- ADF: 75 cpm up to 100 originals
- Auto Duplex

• Finisher: 3,250 sheet capacity

Max. Original size: 12 x 18

• Reduce/Enlarge: 25-400% (1% increments)

• First copy time: 3.5 sec.

• Warm up time: 30 sec.

• Copy resolution: 1200 x 1200 dpi

• Std./Max Memory: 128 MB, 40GB

HD/128 MB, 40GB HD

\$13,400

• Optional network print functionality

Pricing

75 cpm copier

Includes SR850 Finisher

Service and Supply Cost (per Copy) \$0.0080

Optional Accessories:

RT43 LCT	1,172
Copy Tray 1075	85
SR861 Saddle Stitch Finisher	3,011
SR841 Finisher	2,488
2/3 Hole Punch Kit Type 1045	481
2/3 Hole Punch Kit Type 1075	525
Cover Interposer	631
8½" x 14" Tray Type 1075	481
Type 1027 Key Counter Bracket	67
Tab Sheet Holder Type 1075	27
A3/11" x 17" Tray Unit	858
Card Reader Bracket	70
Jogger Unit for SR841	211
Copy Connector Type 2105	895
Z-Folding Unit Type 2105	5,004

Printer Options:

Scanner/Printer Kit Type 2075	,897
256 MB Memory Type D	492
Postscript Type 3	,278
9 Bin Mailbox Type CS.90	,188
IEEE1394 Interface Board	285
USB 2.0 Interface Board	99
File Format Converter	384







Copier Features

- 75 PPM copy speed
- Most main features accessible from initial screen on Touch Panel Display
- Ability to program up to 8 jobs into memory while initial job is running
- Professional finishing capabilities

General Features

- Large, user-friendly Touch Panel Display
- 30-second warm-up time from power off
- Scan Once, Print Many with True 1,200 DPI resolution
- 8,300 sheet maximum paper capacity from up to 5 sources
- 100-sheet, One Pass Duplexing Automatic Document Feeder
- Document Server technology for online storage and print-on-demand capability
- Optional Interposer allows covers or special pages to be inserted anywhere within your documents
- Windows Authentication prevents unauthorized access to system
- Professional finishing capabilities including cover stock, tab extension copying, chapters, collating, numbering, stamping, multiple position stapling, saddle-stitching, Z-Fold, and hole punching
- Compatible with Ricoh's Embedded Software Architecture, a Java (J2ME) compatible software development platform. For more information on this platform, please go to www.ricoh.com/esa

Printer Features (optional)

- 75 PPM print speed
- True 1,200 dpi resolution
- RPCS/PCL5e/PCL6 standard fully compatible with all major PC applications
- Works with Windows 9x/ME/2000/NT4.0/XP & Macintosh
- Optional Adobe® PostScript 3 for advanced applications, Mac OS, and PDF Direct Print
- Optional Interposer allows covers or special pages to be inserted anywhere within your documents
- 9-bin Addressable Mailbox option
- Professional finishing capabilities

Scanner Features (optional)

- 75 sides per minute scan speed (scan to e-mail, scan to folder)
- One Pass Duplex Scanner scans both sides of document simultaneously
- 600 DPI optical resolution (1,200 DPI with TWAIN scanning)
- Embedded Scan to Email with LDAP support (no additional software or delivery server needed)
- Embedded Scan to Folder via SMB and FTP (no additional software or delivery server needed)







Volume Band 5B – 90 cpm digital copier

Savin 4090 Ricoh Aficio 2090 Gestener 9002





Specifications

- Digital, Multifunctional Copier
- 90 copies per minute
- Maximum monthly volume 500,000
- Std paper source triple drawer (incl. Tandem drawer)
- Std Paper capacity: 1,000/1,000/500/500 sheets
- Max Paper capacity: 8,050 sheets
- Auto Duplex
- Finisher: 3,500 sheet capacity

- Max. Original size: 11 x 17
- Reduce/Enlarge: 25-400% (1%
 - increments)
- First copy time: 3.5 sec.
- Warm up time: 6 min.
- Copy resolution: 1200 X 1200 dpi
- 384 MB Standard (128MB std + 256MB required for printing)
- Hard Disk Drive: 40GB x 2
- Optional network print functionality

Pricing

90 cpm copier	\$18,026
Includes SR840 Finisher	
Service and Supply Cost (per Copy)	\$0.0065

Additional 90cpm Options:

Punch Unit Type 1075	525
SR860 Finisher 50-Sht/Booklet Finisher	3011
RT46 LCT	2581
Jogger Unit for SR840	211
Cover Interposer Type 1075	631
11" x "17" Tray Unit Type 2105	877
Multi Bypass Tray Type 2105	845
256MB DIMM	498
Copy Connector Type 2105	895

Printer / Scanner Options:

2065
384
1800
99
483
285







SR90 Bookletmaker	6037
SR90 Rail Unit	227
TR90 Trimmer Unit	4588
R90 Cover Feeder	2030







General Features

- Print speed of 90 PPM
- True 1200 dpi Resolution
- Network scan to e-mail and scan to file with Printer/Scanner Kit Type 2105
- Large, user friendly, dual language touch panel display for simple access to all functions
- Desktop control of an extensive list of advanced capabilities
- Large standard memory of 128MB RAM and two 40GB hard disk drives
- Dual toner bottles allow change-on-the-fly, uninterrupted output
- Document Server stores up to 250 jobs dynamically linking electronically created and paper-based originals that were scanned into memory
- Connect Copy option allows the linking of two Aficio 2090's to double your output to 180PPM
- Interposer option provides ability to insert color or preprinted sheets.

Copier Features

- Scan at 80 images per minute
- Scan once/print many with fast, clear output at 90 PPM at 1200 dpi
- Full finishing capabilities including covers, chapters, tab extension copying, printing, stapling and user selectable 2 and 3 hole punching
- Seven paper trays with total paper capacity up to 8,050 sheets
- Enhanced Document Server allows you to easily retrieve/merge and edit files for enhanced productivity

Printer Features

- Print Resolution PCL5e 300/600 dpi, PCL6 600/1200 dpi, RPCS 300/600/1200 dpi, PS3 600/1200
- Perfect for local or network printing with either PC or Mac
- PCL6 enables it to work with all popular applications
- Works with Windows 95/98/ME/2000/NT 4.0/XP and Macintosh 8.6 or higher (excluding 10.0)



RICOH AUTHORIZED DEALERS					
VENDOR: 35964B-F	VENDOR: 35964B-B				
IKON OFFICE SOLUTIONS 1719 WEST 2800 SOUTH, SUITE 103 OGDEN UT 84401	IKON OFFICE SOLUTIONS 10713 SOUTH JORDAN GATEWAY, SUITE 200 SOUTH JORDAN UT 84095				
PHONE: (801) 399.3900	PHONE: (801) 619.3000				
VENDOR: 35964B-G	VENDOR: 94068A				
IKON OFFICE SOLUTIONS 301 NORTH 200 EAST, SUITE D ST. GEORGE UT 84770	PCF, INC 1509 S. 270 E. #4 ST. GEORGE UT 84790				
PHONE: (435) 652-8400	PHONE: (435) 673-7677				

SAVIN AUTHORIZED DEALERS					
VENDOR: 02901G-A	VENDOR: 29899B				
AUTOMATED BUSINESS PRODUCTS	SOUTHERN UTAH OFFICE MACHINE				
193 WEST 2100 SOUTH SLC UT 84115	25 NORTH 100 EAST ST. GEORGE UT 84770				
CONTACT: LEE CHRISTENSEN OR SCOTT SANFORD	CONTACT: MAX TORRES				
PHONE: (801) 466.5600	PHONE: (435) 628.4351				
FAX: (801) 466.5099 VENDOR: 94070A	FAX: (435) 634.9832 VENDOR: 94065A				
VENDOR: 94070A	VENDOR: 94065A				
COPIER AND SUPPLY	TJL COPY PRODUCTS INC				
432 SOUTH MAIN STREET	576-25 ROAD #2				
ROCK SPRINGS, WY 82901	GRAND JUNCTION, CO 81505				
CONTACT: RICK MATHIS	CONTACT: TIM MARKLEY				
PHONE: (307) 362.6530	PHONE: (970) 243.2277				
FAX: (307) 362.6533	FAX: (970) 243.2277				
VENDOR: 94067A					
SAN JUAN COPY SYSTEMS					
278 SAWYER DRIVE					
DURANGO CO 81301					
CONTACT: JIM DODRILL					
PHONE: (970) 247.3637					
FAX: (970) 247.3637					



GESTETNER AUTHORIZED DEALERS

VENDOR: 94064A VENDOR: 00256H-C

MBS BUSINESS SYSTEMS INC UINTA BUSINESS SYSTEMS

3902 OGDEN AVE 332 WEST BUGATTI OGDEN UT 84403 SLC UT 84115

CONTACT: DANIEL MURDOCK CONTACT: JOE WEISS

PHONE: (801) 394.1700 PHONE: (801) 461.7600 FAX: (801) 394.7879 FAX: (801) 486.4720

All copier pricing is F.O.B. destination with installation, training and initial "start up" supplies included (no separate charges).

Trade-in values for your existing copier(s) are to be negotiated on a case-by-case basis.

Relocation fees are variable and will be quoted on a case-by-case basis.

Contractor has demo models in their showroom.

FOR RICOH, SAVIN AND GESTETNER MAINTENENACE AND SUPPLIES, PLEASE SEE STATE OF UTAH CONTRACT PD1648.

FINET COMMODITY CODE(S):

60038000000 - COPYING MACHINES BOND PAPER (PLAIN) INCLUDING PARTS & ACCESSORIES

60040000000 - COPY MACHINES COATED OR TREATED PAPER TYPE INCLUDING PARTS AND

ACCESSORIES

60042000000 - COPY MACHINES, LASER, INCLUDING PARTS & ACCESSORIES

60045000000 - COPY MACHINES, THERMAL TYPE INCLUDING PARTS & ACCESSORIES

60047000000 - COPY MACHINE ADD-ON ACCESSORIES

65550000000 - COPYING EQUIPMENT, INCLUDING SLIDE DUPLICATORS)

93927000000 - COPY MACHINE MAINTENANCE & REPAIR

98526000000 - COPY MACHINES (INCLUDING COST PER COPY TYPE LEASES) RENTAL OR\LEASE

THIS CONTRACT COVERS ONLY THOSE ITEMS LISTED IN THE PRICE SCHEDULE. IT IS THE RESPONSIBILITY OF THE AGENCY TO ENSURE THAT OTHER ITEMS PURCHASED ARE INVOICED SEPARATELY. STATE AGENCIES WILL PLACE ORDERS DIRECTLY WITH THE VENDOR (CREATING A PG IN FINET) AND MAKE PAYMENTS FOR THE SAME ON A PV REFERENCING THE ORIGINAL PG. AGENCIES WILL RETURN TO THE VENDOR ANY INVOICE WHICH REFLECTS INCORRECT PRICING.

63A-2-105 COPIER REQUEST FORM STATE OF UTAH

SUBMIT TO:

D.A.S., DIVISION OF PURCHASING AND GENERAL SERVICES

3150 STATE OFFICE BUILDING,

FAX: (801) 538-1193 OR (801) 538-3882

DEPARTMENT	0	ORGANIZATION			ADDRESS					
CONTACT PERSON		IONE	FAX		DATE PREPARED	DATE NEEDED				
EXPLAIN THE CIRCUMSTANCES LEADING TO THE PURCHASE OF THE NEW COPIER										
						• • • • • • • • • • • • • • • • • • • •				
						• • • • • • • • • • • • • • • • • • • •				
MINIMUM SPECIFICATIONS	(FUNCTIONS	S/FEATURES) O	F THE NEW	COPIER						
MULTI-COPY SPEED	FIRST COPY SPEED FEEDER/DOCUMEN				IDLER TYPE					
C.P.M		SECONDS								
MONTHLY VOLUME	COPY THR	OUGHPUT (PAP	ER SIZE AN	ND WEIG	HT)	···				
		•			,					
PAPER CAPACITY	VARIABLE I	MAGNIFICATION	J	PRESE	NT REDUCTION/EI	N ARGEMNET				
SHEETS		%TO	. %			TE TO E TO				
DUPLEXING	COLLATING	TYPE	STAPLING	C TYPE	POWER	REQUIRMENTS				
1:2 2:2 2:1	OOLLATING)	OTALLIN	01111	OVVEI	TILQUITWILITIO				
OTHER										
	• • • • • • • • • • • • • • • • • • • •	•••••		• • • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • • •	•••••				
	•••••		• • • • • • • • • • • • • • • • • • • •							
COPIER SELECTED										
MAKE AND MODEL		VENDOR			CONTR	ACT NO.				
PURCHASE PRICE	MAINTENA	NCE COST PER	CORV	CLIE	PPLY COST PER C	ODV				
\$	MAINTENA	NOL COST PLK	COFT	301	-FEI COST FER C	OFT				
CURRENT COPIER										
MAKE AND MODEL	D	ATE PURCHASE	D	PURCHASE PRICE						
					\$	_				
	l				·					
-										
WE HAVE REVIEWED THIS F	REQUEST AN	ID DETERMINED	IT WILL PI	ROVIDE (CLEAR BENEFIT T	O THE STATE.				
X										
DIVISION DIRECTOR (SIGNA	(TURE)	PRINT NAM	1L			DATE				
X										
DEDARTMENT DIDECTOR (S	NONATURE)	PRINT NAM				DATE				
DEPARTMENT DIRECTOR (S	SIGNATURE)	PRINTINAN				DATE				
П <u>АРРРОУ</u> (БР		ONAL DECOMM	CNDATION	C ATT AC	NICO					
☐ APPROVED	LI ADDITI	ONAL RECOMM	ENDATION	SATIAC	יחבט					
		·								
						DATE				